


Experiment(s):

1. All Laser Experiments


(For more details, procedure & manual visit: www.kamaljeeth.net)



LAS-301/501R



LAS-301/501B



LAS-301/501G



Power Supply

Experiment Setup Consists:

- a) Laser & Power supply Accessories (optional)
- b) Grating Stand
- c) White Screen

Specifications:

Laser:

Type: Semiconductor Diode Laser
Wavelength: 625nm (Red) for LAS-301/501R
Wavelength: 535nm (Green) for LAS-301/501G
Wavelength: 440nm (Violet-Blue) for LAS-301/501B

Output Power: 3mW

LAS-301/501R

Output Power: 5mW

LAS-301/501G

Output Power: 5mW

LAS-301/501B

Mount: Cast Iron Base with levelling screw

Also mountable on standard breadboard with 100mm pitch

Power Supply:

Output: Suitable for 3mW & 5mW

Semiconductor Lasers

Input: Mains operated 220V, 50Hz or 110V, 60Hz,

Mains cord: 2 pin



KAMALJEETH INSTRUMENTS

An ISO 9001:2008 Certified Company

Address: No. 610, 5th main, 8th cross Tatanagar, Bangalore 560 092
Website: www.kamaljeeth.net, Email: labexperiments@kamaljeeth.net

3 Years manufacture's warranty

30 Years of innovative manufacturing